

DISEASE MANAGEMENT:

Be on **HIGH ALERT** as soon as your **humidity plus temperature in Fahrenheit is 150 or more!** e.g. 75 % humidity + 23, 9 degrees C (75 degrees F)

DISEASE	PRODUCT	TIMING	RATE	TURF TYPE	APP TIMING	HIGH RISK PERIOD
A satisface and a sage		Han	560g/ha every 14 days	CDEENC, DENT/ DOA	Dec, Jan, Feb	Jan-Feb
Anthracnose: SC/ WC	Heritage	Use preventatively	1120 g/ha every 28 days	GREENS: BENT/ POA ANNUA (All areas)		
		preventatively	2-3 sequential applications	ANNOA (All aleas)		
			560g/ha every 14 days	ODEENS DENT/DOA		
Brown Patch - All regions	Heritage	Use preventatively	1120 g/ha every 28 days	GREENS: BENT/ POA ANNUA (All areas)		
All regions			2-3 sequential applications	ANNOA (All aleas)		
D D. Lak	Heritage	Use preventatively	560g/ha every 14 days	FAIDALANC KIKING I		
Brown Patch - All regions			1120 g/ha every 28 days	FAIRWAYS: KIKUYU/ BERMUDA		
All regions			2-3 sequential applications	DEMINIODA		
	Dannar		2 litres/ha every 7-14 days	GREENS: BENT/ POA	Sept - March	
Dallan Cast	Banner		if tank mixed with Daconil WS	ANNUA (All areas)		
Dollar Spot - All regions		ner	4 litres/ha every 14 – 28 days	CDEENC, DENT/ DOA		
All Tegions	Banner		Apply 3 or more consecutive applications	GREENS: BENT/ POA ANNUA (All areas)		
			before changing to Daconil WS.			



SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za

Squire Flint 082 373 7378 squire@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Sue de Zwart 082 462 9866 sue@talkingturf.co.za **Tahlitia Cooper** 079 391 2994 admin@talkingturf.co.za









DISEASE	PRODUCT	TIMING	RATE	TURF TYPE	APP TIMING	HIGH RISK PERIOD
	Donner		2 litres/ha every 7-14 days			
Dollar Spot - All regions	Banner		if tank mixed with Daconil WS	CDEENIC DEDAMIDA		
			4 litres/ha every 14 – 28 days	GREENS: BERMUDA/ PASPALUM		
	Banner		Apply 3 or more consecutive applications	PASPALUIVI		
			before changing to Daconil WS.			
			1120 g/ha in 1600 litres water/ha			
Fairy Ring -	Horitago	lovito ao	Apply as soon as symptoms 1st appear.	GREENS: BENT/ POA		
All regions	Heritage		Add Qualibra for best results.	ANNUA (All areas)		
			Do a follow up application after 28 days			
			1120 g/ha in 1600 litres water/ha			
Fairy Ring - All regions	11		Apply as soon as symptoms 1st appear.	FAIRWAYS: KIKUYU/		
	Heritage		Add Qualibra for best results.	BERMUDA		
			Do a follow up application after 28 days			









SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za

Squire Flint 082 373 7378 squire@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Sue de Zwart 082 462 9866 sue@talkingturf.co.za

Tahlitia Cooper 079 391 2994 admin@talkingturf.co.za











DISEASE	PRODUCT	TIMING	RATE	TURF TYPE	APP TIMING	HIGH RISK PERIOD		
		Use	560 g/ha every 14 days	CDEENIC DEDMINDA				
Grey Leaf Spot	Heritage		1120 g/ha every 28 days	GREENS: BERMUDA/ PASPALUM				
		preventatively	2 sequential applications	PASPALOIVI				
Leaf Rust,		Haa	560 g/ha every 14 days	CDEENIC, DEDNALIDA /				
Stem Rust Heritage U		Use preventatively	1120 g/ha every 28 days	GREENS: BERMUDA/ PASPALUM				
		preventatively	2-3 sequential applications	PASFALOIVI				
Leaf Spot, (Bipolaris Heritage		Use preventatively	560 g/ha every 14days	CDEENS, DEDNALIDA /				
	Heritage		1120g/ha every 28 days	GREENS: BERMUDA/ PASPALUM				
spot)		preventatively	2-3 sequential applications	PASPALOIVI				
Nalting out		560g/ha every 14 days		11	560g/ha every 14 days	EAIDMANG, KIKINII		
Melting out (Dreschlera)	Heritage	age Use preventatively	1120g/ha every 21 days	FAIRWAYS: KIKUYU/ BERMUDA				
(Drescillera)			2-3 sequential applications	BERIVIODA				
Microdochium			560 g/ha every 14 days		July August			
patch (Fusarium Herit Patch) - WC, SC, GAU, E/C	Heritage	Use preventatively	1120 g/ha every 28 days	GREENS: BENT/ POA	August			
	Ticitage		2-3 sequential applications	ANNUA (All areas)				









SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za Squire Flint 082 373 7378 squire@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Sue de Zwart 082 462 9866 sue@talkingturf.co.za Tahlitia Cooper 079 391 2994 admin@talkingturf.co.za









DISEASE	PRODUCT	TIMING	RATE	TURF TYPE	APP TIMING	HIGH RISK PERIOD
Pythium Blight		Use	1120g/ha every 10-14 days	GREENS: BENT/ POA		
& Pythium Root rot	Heritage	preventatively	2 sequential applications	ANNUA (All areas)		
Pythium Blight		Use	1120g/ha every 10-14 days	FAIRWAYS & TEES:		
& Pythium Root rot	Heritage	preventatively	2 sequential applications	Cool season		
		Haa	560g/ha every 14 days	FAIDWAY O TEEC		
Red Thread		Use preventatively	1120g/ha every 21 days	FAIRWAYS & TEES: Cool season		
		preventatively	2-3 sequential applications	Cool season		
		Llee	560g/ha every 14 days	FAIDWAYS & TEES.		
Summer Patch		Use preventatively	1120g/ha every 21 days	FAIRWAYS & TEES: Cool season		
			2-3 sequential applications	Cool season		
Taka All Datah	Horitago	Use	1120g/ha every 28 days	GREENS: BENT/ POA		
Take All Patch	Heritage	ge preventatively	2-3 sequential applications	ANNUA (All areas)		



HERITAGE is a protectant (preventative) fungicide with **EARLY CURATIVE AND ERADICANT ACTIVITY**. **HERITAGE** also stops disease sporulating and **PREVENTING FURTHER SPREAD** of infection.

Heritage has a **FANTASTIC GREENING EFFECT** - improves N efficiency in the plant, **DELAYS SEEDING** and **DECREASES TRANSPIRATION**



SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za

Squire Flint 082 373 7378 squire@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Sue de Zwart 082 462 9866 sue@talkingturf.co.za Tahlitia Cooper 079 391 2994 admin@talkingturf.co.za















MERIDIAN - increases root depth and mass as well as controls larval/juvenile mole crickets, white grubs and ants.

INSECT CONTROL: 60 day residual in soil so rather be too early than too late. When you see adult insects this is the time to quickly spray if you have not yet. This is your final warning prior to egg laying.

AFTER 1ST RAINS: TANK MIX

MERIDIAN 1,2kg/ha KARATE 1 litres/ha

Water in with 6-9 minutes irrigation immediately on greens, tees & cool season fairways. Water in with 6mm of irrigation within 24 hours of application on warm season fairways & tees. **Do a follow up application 60 days later.**

INSECTS	KARATE	MERIDIAN
Mole Cricket		-
Cutworm	-	
White grub		-
Termites		-
Ants		-
Crickets		-
Black maize		
beetle		-

TMX = Thiamethoxam

Mode of action Thiamethoxam – interferes
with nicotinic acetylcholine receptors of the
insect's nervous system







CRICKETS



BLACK MAIZE BEETLE



TERMITES



ANTS

MARKETING & TECHNICAL SUPPORT:



MOLE CRICKET



SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za

Squire Flint 082 373 7378 squire@talkingturf.co.za

Sue de Zwart

082 462 9866 sue@talkingturf.co.za Tahlitia Cooper 079 391 2994 admin@talkingturf.co.za

Willem Kok 073 131 3518 willem@talkingturf.co.za

GreenCast Turf App

www.greencast.co.za | www.syngenta.com












Although the symptoms of this disease are seen in spring it needs to be treated in autumn. **PREVENTATIVE:**

Banner 2 litres/ha in early March & follow up 21 days later

Spring Dead Spot: (Kikuyu Patch - Treat in autumn)

CURATIVE:

Banner 4 litres/ha in early March & follow up 21 days later



#1 - SPRING DEAD SPOT CONTROL











SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za

Squire Flint 082 373 7378 squire@talkingturf.co.za

Sue de Zwart

082 462 9866 sue@talkingturf.co.za **Tahlitia Cooper** 079 391 2994 admin@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Willem Kok 073 131 3518 willem@talkingturf.co.za

GreenCast www.greencast.co.za | www.syngenta.com










TURF DISEASE MANAGEMENT:

DISEASE	HERITAGE	BANNER	DACONIL
Anthracnose	-	-	
Brown patch	-	-	-
Fairy ring	-		
Superficial Fairy Ring	-		
Microdochium patch	-		
Grey leaf	-		
Leaf Rust, Stem Rust, Stripe Rust	-	-	
Leaf spot/Melting-Out	-	-	-
Necrotic Ring Spot	-		
Pythium blight	-		
Pythium root rot	-		
Red Thread	-		
Summer patch	-		
Take All	-		
Dollar Spot		-	-
Fading out			-
Powdery mildew		-	
Fusarium Patch	-		
Spring Dead Spot	-	-	











SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za Squire Flint 082 373 7378 squire@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Sue de Zwart 082 462 9866 sue@talkingturf.co.za Tahlitia Cooper 079 391 2994 admin@talkingturf.co.za













AQUATIC WEED CONTROL:



MIDSTREAM RATES:

Floating aquatic weeds: 7,5-10

litres/ha

Submerged aquatic weeds: 50 litres/ha

Remember to only spray 25% of the dam surface at a time. The weeds use up oxygen when they breakdown & this allows for insufficient oxygen for the fish.





WEEDS	SPECIES	PEAK	SERVIAN	MIDSTREAM	TOUCHDOWN
Control of aquatic weeds				-	
All weeds and Grasses					-
Black jack	Bidens pilosa		-		
Spindlepod			-		
Yellow nutsedge	Cyperus esculentus L.		-		
Purple nutsedge	Cyperus rotundus L.		-		
Gallant soldier	Galinsoga parviflora		-		
Khaki weed	Tagetes minuta		-		
Common pigweed	Amaranthus hybridus		-		
Large thorn apple	Datura ferox		-		
Dubbeltjie	Tribulus terrestris		-		
Cocklebur			-		
Pimpernel		-			
Goosefoot	Chenopodium	-			
Fumitory	Fumaria muralis	-			
Prostrate Knotweed	Polygonum aviculare L.	-			
Wild Radish	Raphanus raphanistrum	-			
Chickweed	Stellaria media (L.) Vill	-			
Vetch	Vicia acutifolia Ell.	-			-
Goosegrass	Eleusine indica (L) Gaertn				



SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za

Squire Flint 082 373 7378 squire@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Sue de Zwart 082 462 9866 sue@talkingturf.co.za Tahlitia Cooper 079 391 2994 admin@talkingturf.co.za













CALIBRATION IS KEY.

For **OPTIMUM APPLICATION** results the **SYNGENTA NOZZLE** is now available in South Africa!

Foliar nozzle application chart



Nozzle	Pressure (bar)	Flow rate	Application rate I/ha at respective forward speed (km/hr)						
INUZZIC		per nozzle (I/min)	3	4	5	6	7	8	
	1	0.924	370	277	222	185	158	139	
	1.5	1.131	453	339	272	226	194	170	
04	2	1.306	523	392	314	261	224	196	
04	2.5	1.461	584	438	351	292	250	219	
	3	1.60	640	480	384	320	274	240	
	3.5	1.728	691	518	415	346	296	259	
	4	1.848	739	554	443	370	317	277	

Other Syngenta Turf XC Nozzle sizes available: **025**- Foliar fungicide, herbicide and growth regulator applications at faster speeds. **08**- soil-acting fungicide and wetting agent applications.

Optimum range

Foliar nozzle application chart



Nozzle	Pressure (bar)	Flow rate	Application rate I/ha at respective forward speed (km/hr)					
INOZZIG		per nozzle (I/min)	3	4	5	6	7	8
	1	1.848	739	554	443	370	317	277
	1.5	2.263	905	679	543	453	388	339
08	2	2.163	1045	784	627	523	448	392
00	2.5	2.921	1168	876	701	584	501	438
	3	3.20	1280	960	768	640	590	480
	3.5	3.456	1383	1037	830	691	638	518
	4	3.695	1478	1109	887	739	682	554

Other Syngenta Turf XC Nozzle sizes available: **04** - Foliar fungicide, herbicide and growth regulator applications at faster speeds. **025** - Foliar fungicide, herbicide and growth regulator applications at slower speeds.

Optimum range



SALES & ADMIN:

Lejeune Saunders 072 229 1512 sales@talkingturf.co.za accounts@talkingturf.co.za Squire Flint 082 373 7378 squire@talkingturf.co.za

MARKETING & TECHNICAL SUPPORT:

Sue de Zwart 082 462 9866 sue@talkingturf.co.za **Tahlitia Cooper** 079 391 2994 admin@talkingturf.co.za Willem Kok 073 131 3518 willem@talkingturf.co.za

GreenCast Turf App

www.greencast.co.za | www.syngenta.com





